


Model Number	Description	Grade	Price	C.O.M.	Dimensions	Seat Height	Weight per Unit	Volume per carton
				YDG M	IN MM	IN MM	LB KG	FT³ M³




OBUSFORME®
COMFORT XL



- Note** **PLEASE SPECIFY all substitutions and all options**
- Obusforme Comfort series is part of the OBUSforme registered trademarks and recommended by chiropractors worldwide.
 - **PLEASE SPECIFY all substitutions and all options**
 - The **XL** versions of **Obusforme Comfort** are not intended for average size users.
 - The **XL** versions of **Obusforme Comfort** are specifically intended for users of above average height and/or weight.
 - Models are designed to meet the requirements of the new Large Occupant Chair Standard of ANSI & Bifma X5.11.
 - Users 6 feet tall or taller may want to select the Extended Extra Tall back height which is the tallest back Global manufactures (with the seat set at 18" high while the back measures 53" tall).
 - Users with long legs will appreciate the deeper seat (an extra 1.5" deeper than the standard seat). In addition, sliding seat depth adjustment allows the user to slide the seat forward or rearward adding up to another 2.5" of seat depth.
 - Users who require additional width than the industry average seat provides, will appreciate the extra seat width (minimum space between arms is 22" and maximum space between arms is 26").
 - These chairs are intended for users weighing between 200 and 400 lbs. For weight capacity over 400 lbs. see Global's Robust series.
 - Obusforme Comfort XL has the same elastomeric back support system as other Obusforme Comfort products; they provide impressive comfortable support with no pressure points along the spine.
 - Compound curved back and seat comfortably match body shape.
 - Standard seat foam is an extra thick dual cushion with a soft top layer and a firmly supportive lower layer.
 - Memory foam seats are optionally available. This slow release foam moulds to your contour and evenly distributes body weight. PLEASE SPECIFY (MF) **Add \$ 58.00**
 - This product can be upholstered in any standard GLOBAL UPHOLSTERY fabric, vinyl, leather or leather/mock leather combination. For compatibility with GLOBALcare fabrics, visit the dealer centre on the website @ www.globaltotaloffice.com.
 - Height adjustable **G3** arms are standard. Armcaps are soft to the touch self skinned urethane (SSU) and are depth adjustable (slide forward and backward) to suit user preference. Armcaps also articulate inwards 30° and slide over top of the seat to narrow space between arms.
 - Standard with Vari-Width (WA) width adjustable arm extensions.
 - This product is equipped with Global's high quality Soft Descent™ pneumatic lift which slowly and gently lowers the seat height of the chair making it easy to obtain exactly the right seat height you desire.
 - Side activated sliding seat depth adjustment (MD) standard on all models.
 - Vertical back height ratchet adjustment of 5¼", standard on all models except armchairs or side chairs.
 - Steel back support upright is 3" wide for extra strength.
 - Five-legged, injection molded, fibreglass reinforced nylon Black spider base. For optional polished Aluminum base with Black end guards (B2), PLEASE SPECIFY (ALU) base **Add \$ 100.00**
 - Chairs with casters are standard with **C65** dual wheel carpet casters.
 - For hard surface flooring casters, PLEASE SPECIFY (**C65R**) **Add \$15.00**
 - For other available casters or arms, see charts at the end of the seating section of the price list.
 - All versions are rated for a 400 lb. active load.
 - Like all Global seating, this product is ANSI and Bifma tested.
 - Like all Global seating, this product is Greenguard Certified.
 - Select models will meet the requirements of California Technical Bulletin 133 (CAL133) when upholstered using appropriate upholstery materials. Depending on upholstery specified up charges will apply.
 - Some assembly required, see RTA code with each item below.
 - Measurement shown for weight is for one unit. Measurement for volume is per carton.

Big & Tall obUScomfort XL: Product map
For users of above average Height or Weight









Model Number	Description	Grade	Price	C.O.M.	Dimensions	Seat Height	Weight per Unit LB KG	Volume per carton FT³ M³		
				YDG M	IN MM	IN MM				
	EXT HB Wide and Deep Synchro-Tilt Extended High Back (extra tall) back height, wider and deeper seat , synchronized tilter mechanism with independent, infinitely adjustable back angle. Seat-side operated quick tilt-tension control. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt lock. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1251LM-0 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E G H L M N Q R U	3	901	2.75	W	28	17-21	69	24.25	
		4	972	2.52		711	432-533	31.3	0.69	
		5	1026		D	26				
		6	1095			660				
		7	1201		H	53				
		8	1298			1346				
		9	1396							
		10	1484							
		11	1587							
		12	1690							
		13	1827							
		14	2019							
		1 per carton / RTA 00								
			EXT HB Wide and Deep Multi-Tilter Extended High Back (extra tall) back height, wider and deeper seat , multi-tilter mechanism. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Infinite position back angle adjustment, infinite position tilt-lock control. Infinitely adjustable seat angle with forward and rearward incline. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1251LM-3 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E F G H M N Q R S U	3	901	2.75	W	28	17-21	71
4	972			2.52		711	432-533	32.2	0.69	
5	1026				D	26				
6	1095					660				
7	1201				H	53				
8	1298					1346				
9	1396									
10	1484									
11	1587									
12	1690									
13	1827									
14	2019									
1 per carton / RTA 00										
	EXT HB Wide and Deep Weight Sensing Extended High Back (extra tall) back height, wider and deeper seat , with weight sensing synchronized tilter that automatically adjusts the reclining tilt-tension for each user's individual weight. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt-lock control. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1251LM-8 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E H L M N Q R U			3	901	2.75	W	28	17-21	66
		4	972	2.52		711	432-533	29.9	0.69	
		5	1026		D	26				
		6	1095			660				
		7	1201		H	53				
		8	1298			1346				
		9	1396							
		10	1484							
		11	1587							
		12	1690							
		13	1827							
		14	2019							
		1 per carton / RTA 00								

1 per carton / RTA 00

1 per carton / RTA 00

1 per carton / RTA 00




Model Number	Description	Grade	Price	C.O.M.	Dimensions	Seat Height	Weight per Unit LB KG	Volume per carton FT³ M³
				YDG M	IN MM	IN MM		
	1252-0							
	HB Wide and Deep Synchro-Tilt	3	859	2.5	W 28	17-21	65	22.25
	High back, wider and deeper seat , synchronized tilter mechanism with independent, infinitely adjustable back angle.	4	925	2.29	711	432-533	29.5	0.63
	Seat-side operated quick tilt-tension control. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt lock. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3).	5	973		D 26			
		6	1036		660			
		7	1133		H 48.5			
		8	1221		1232			
		9	1309					
		10	1389					
		11	1483					
	1252LM-0 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER.	12	1577					
		13	1701					
		14	1876					
	F&B: A B C D E G H L M N Q R U							
1 per carton / RTA 00								
	1252-3							
	HB Wide and Deep Multi-Tilter	3	859	2.5	W 28	17-21	67	22.25
	High back, wider and deeper seat , multi-tilter mechanism. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Infinite position back angle adjustment, infinite position tilt-lock control. Infinitely adjustable seat angle with forward and rearward incline. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3).	4	925	2.29	711	432-533	30.4	0.63
		5	973		D 26			
		6	1036		660			
		7	1133		H 48.5			
		8	1221		1232			
		9	1309					
		10	1389					
		11	1483					
	1252LM-3 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER.	12	1577					
		13	1701					
		14	1876					
	F&B: A B C D E F G H M N Q R S U							
1 per carton / RTA 00								
	1252-8							
	HB Wide and Deep Weight Sensing	3	859	2.5	W 28	17-21	62	22.25
	High back, wider and deeper seat , with weight sensing synchronized tilter that automatically adjusts the reclining tilt-tension for each user's individual weight. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt-lock control. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3).	4	925	2.29	711	432-533	28.1	0.63
		5	973		D 26			
		6	1036		660			
		7	1133		H 48.5			
		8	1221		1232			
		9	1309					
		10	1389					
		11	1483					
	1252LM-8 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER.	12	1577					
		13	1701					
		14	1876					
	F&B: A B C D E H L M N Q R U							
1 per carton / RTA 00								

Model Number	Description	Grade	Price	C.O.M.	Dimensions	Seat Height	Weight per Unit LB KG	Volume per carton FT³ M³	
				YDG M	IN MM	IN MM			
 1253-0 MB Wide and Deep Synchro-Tilt Medium back, wider and deeper seat , synchronized tilter mechanism with independent, infinitely adjustable back angle. Seat-side operated quick tilt-tension control. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt lock. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1253LM-0 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E G H L M N Q R U	3	817	2.5	W	28	17-21	61	20.25	
	4	883	2.29		711	432-533	27.7	0.57	
	5	932		D	26				
	6	994			660				
	7	1091		H	44.5				
	8	1179			1130				
	9	1268							
	10	1348							
	11	1441							
	12	1535							
	13	1660							
	14	1835							
	1 per carton / RTA 00								
	 1253-3 MB Wide and Deep Multi-Tilter Medium back, wider and deeper seat , multi-tilter mechanism. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Infinite position back angle adjustment, infinite position tilt-lock control. Infinitely adjustable seat angle with forward and rearward incline. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1253LM-3 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E F G H M N Q R S U	3	817	2.5	W	28	17-21	63	20.25
4		883	2.29		711	432-533	28.6	0.57	
5		932		D	26				
6		994			660				
7		1091		H	44.5				
8		1179			1130				
9		1268							
10		1348							
11		1441							
12		1535							
13		1660							
14		1835							
1 per carton / RTA 00									
 1253-8 MB Wide and Deep Weight Sensing Medium back, wider and deeper seat , with weight sensing synchronized tilter that automatically adjusts the reclining tilt-tension for each user's individual weight. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt-lock control. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1253LM-8 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E H L M N Q R U		3	817	2.5	W	28	17-21	58	20.25
	4	883	2.29		711	432-533	26.3	0.57	
	5	932		D	26				
	6	994			660				
	7	1091		H	44.5				
	8	1179			1130				
	9	1268							
	10	1348							
	11	1441							
	12	1535							
	13	1660							
	14	1835							
	1 per carton / RTA 00								

1 per carton / RTA 00

1 per carton / RTA 00




1 per carton / RTA 00

Model Number	Description	Grade	Price	C.O.M. YDG M	Dimensions IN MM	Seat Height IN MM	Weight per Unit LB KG	Volume per carton FT³ M³
1254-0 	EXT HB Wide Std Depth Synchro-Tilt Extended High Back (extra tall) back height, wider but standard depth seat , synchronized tilter mechanism with independent, infinitely adjustable back angle. Seat-side operated quick tilt-tension control. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt lock. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3).	3	859	2.75	W 28	17-21	68	24.25
		4	931	2.52	711	432-533	30.8	0.69
		5	985		D 24.5			
		6	1054		622			
		7	1160		H 53			
		8	1256		1346			
		9	1354					
		10	1442					
		11	1545					
		12	1648					
		13	1786					
		14	1977					
1254-3 	EXT HB Wide Std Depth Multi-Tilter Extended High Back (extra tall) back height, wider but standard depth seat , multi-tilter mechanism. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Infinite position back angle adjustment, infinite position tilt-lock control. Infinitely adjustable seat angle with forward and rearward incline. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3).	3	859	2.75	W 28	17-21	70	24.25
		4	931	2.52	711	432-533	31.7	0.69
		5	985		D 24.5			
		6	1054		622			
		7	1160		H 53			
		8	1256		1346			
		9	1354					
		10	1442					
		11	1545					
		12	1648					
		13	1786					
		14	1977					
1254-8 	EXT HB Wide Std Depth Weight Sense Extended High Back (extra tall) back height, wider but standard depth seat , with weight sensing synchronized tilter that automatically adjusts the reclining tilt-tension for each user's individual weight. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt-lock control. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3).	3	859	2.75	W 28	17-21	65	24.25
		4	931	2.52	711	432-533	29.5	0.69
		5	985		D 24.5			
		6	1054		622			
		7	1160		H 53			
		8	1256		1346			
		9	1354					
		10	1442					
		11	1545					
		12	1648					
		13	1786					
		14	1977					

1 per carton / RTA 00

1 per carton / RTA 00




1 per carton / RTA 00

Model Number	Description	Grade	Price	C.O.M.	Dimensions	Seat Height	Weight per Unit	Volume per carton	
				YDG	IN	IN	LB	FT³	
				M	MM	MM	KG	M³	
 1255-0 HB Wide Std Depth Synchro-Tilt High back, wider but standard depth seat , synchronized tilter mechanism with independent, infinitely adjustable back angle. Seat-side operated quick tilt-tension control. Ratchet style back/lumbar height adjustment with 5¼” of vertical travel. 3” wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt lock. Height and width adjustable “T” arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1255LM-0 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E G H L M N Q R U	3	817	2.5	W	28	17-21	64	22.25	
	4	883	2.29		711	432-533	29	0.63	
	5	932		D	24.5				
	6	994			622				
	7	1091		H	48.5				
	8	1179			1232				
	9	1268							
	10	1348							
	11	1441							
	12	1535							
	13	1660							
	14	1835							
	1 per carton / RTA 00								
	 1255-3 HB Wide Std Depth Multi-Tilter High back, wider but standard depth seat , multi-tilter mechanism. Ratchet style back/lumbar height adjustment with 5¼” of vertical travel. 3” wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Infinite position back angle adjustment, infinite position tilt-lock control. Infinitely adjustable seat angle with forward and rearward incline. Height and width adjustable “T” arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1255LM-3 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E F G H M N Q R S U	3	817	2.5	W	28	17-21	66	22.25
4		883	2.29		711	432-533	29.9	0.63	
5		932		D	24.5				
6		994			622				
7		1091		H	48.5				
8		1179			1232				
9		1268							
10		1348							
11		1441							
12		1535							
13		1660							
14		1835							
1 per carton / RTA 00									
 1255-8 HB Wide Std Depth Weight Sense High back, wider but standard depth seat , with weight sensing synchronized tilter that automatically adjusts the reclining tilt-tension for each user’s individual weight. Ratchet style back/lumbar height adjustment with 5¼” of vertical travel. 3” wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt-lock control. Height and width adjustable “T” arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1255LM-8 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E H L M N Q R U		3	817	2.5	W	28	17-21	61	22.25
	4	883	2.29		711	432-533	27.7	0.63	
	5	932		D	24.5				
	6	994			622				
	7	1091		H	48.5				
	8	1179			1232				
	9	1268							
	10	1348							
	11	1441							
	12	1535							
	13	1660							
	14	1835							
	1 per carton / RTA 00								

1 per carton / RTA 00

1 per carton / RTA 00

1 per carton / RTA 00

Model Number	Description	Grade	Price	C.O.M.	Dimensions	Seat Height	Weight per Unit LB KG	Volume per carton FT³ M³	
				YDG M	IN MM	IN MM			
 1256-0 MB Wide Std Depth Synchro-Tilt Medium back, wider but standard depth seat , synchronized tilter mechanism with independent, infinitely adjustable back angle. Seat-side operated quick tilt-tension control. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt lock. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1256LM-0 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E G H L M N Q R U	3	776	2.5	W	28	17-21	60	20.25	
	4	841	2.29		711	432-533	27.2	0.57	
	5	890		D	24.5				
	6	953			622				
	7	1049		H	44.5				
	8	1138			1130				
	9	1226							
	10	1306							
	11	1400							
	12	1493							
	13	1618							
	14	1793							
	1 per carton / RTA 00								
	 1256-3 MB Wide Std Depth Multi-Tilter Medium back, wider but standard depth seat , multi-tilter mechanism. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Infinite position back angle adjustment, infinite position tilt-lock control. Infinitely adjustable seat angle with forward and rearward incline. Height and width adjustable "T" arms with soft touch self- skinned urethane (SSU) ultimate adjustable arms (G3). 1256LM-3 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E F G H M N Q R S U	3	776	2.5	W	28	17-21	62	20.25
4		841	2.29		711	432-533	28.1	0.57	
5		890		D	24.5				
6		953			622				
7		1049		H	44.5				
8		1138			1130				
9		1226							
10		1306							
11		1400							
12		1493							
13		1618							
14		1793							
1 per carton / RTA 00									
 1256-8 MB Wide Std Depth Weight Sense Medium back, wider but standard depth seat , with weight sensing synchronized tilter that automatically adjusts the reclining tilt-tension for each user's individual weight. Ratchet style back/lumbar height adjustment with 5¼" of vertical travel. 3" wide back bar. Soft descent pneumatic seat height adjustment. Side activated sliding seat depth adjustment (MD). Multiple position tilt-lock control. Height and width adjustable "T" arms with soft touch self-skinned urethane (SSU) ultimate adjustable arms (G3). 1256LM-8 As above but upholstered in LEATHER OR LEATHER / MOCK LEATHER. F&B: A B C D E H L M N Q R U		3	776	2.5	W	28	17-21	57	20.25
	4	841	2.29		711	432-533	25.8	0.57	
	5	890		D	24.5				
	6	953			622				
	7	1049		H	44.5				
	8	1138			1130				
	9	1226							
	10	1306							
	11	1400							
	12	1493							
	13	1618							
	14	1793							
	1 per carton / RTA 00								

1 per carton / RTA 00

1 per carton / RTA 00

1 per carton / RTA 00